## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

- (Currently Amended) Portable radiotelephone comprising at least: 1.
  - a central processing unit,
  - a transmit and receive radio circuit connected to at least one antenna,
  - a microphone,
  - a front face including a speaker,
- an upper edge substantially perpendicular to the front face, said upper edge including a microphone that is oriented upwards,
  - a keypad that comprises at least one multifunction key,

and a necklace designed for placing around the neck of the user, said necklace being fixed to the portable radiotelephone in such a way that said portable radiotelephone positions itself automatically by gravity in a rest position when said necklace is place worn around the neck of [he] the user, said microphone emerging above the speaker in said rest position, the central processing unit being adapted to:

on receiving an incoming call, establish a bidirectional communication when a user presses the multifunction at least one key,

and when the user presses the multifunction at least one key when there is no incoming call, [to] call at least one predetermined telephone address,

wherein a microphone is located on the radiotelephone and the microphone and the speaker are adapted so that designed to let the user [may] use the radiotelephone for a bidirectional communication to communicate without moving said radiotelephone from said rest position when said radiotelephone is worn around the neck of the user.

Appl. No. 10/602,984 Amdt. dated May 30, 2006

Reply to O.A. of January 31, 2006

2. (Currently Amended) Radiotelephone according to claim 1, in which the central processing unit is adapted to sequentially and cyclically call several telephone addresses belonging to a predetermined list, until a communication is established with one of these telephone addresses, when the user presses the multifunction at least one key when there is no incoming call.

- 3. (Currently Amended) Portable radiotelephone according to claim 2, in which the central processing unit is adapted to automatically call back a telephone address of the said predetermined list when the central processing unit called this telephone address after operation of the multifunction at least one key and when this telephone address was busy.
- 4. (Currently Amended) Radiotelephone according to claim 2, in which the predetermined list of telephone addresses comprises a number n of telephone addresses and the central processing unit is adapted to call a telephone address of position k in the said list when the user presses the multifunction at least one key p times, where p=k modulo n.
- 5. (Currently Amended) Radiotelephone according to claim 1, in which the central processing unit is adapted to interrupt an established communication or an in-progress call when the user presses the multifunction at least one key for a duration greater than a predetermined duration, the said predetermined duration being at least equal to 1 s.
- 6. (Currently Amended) Radiotelephone according to claim 1, in which the front face includes [the] <u>a</u> multifunction key, the keypad not including any other key arranged on the [said] front face.
- 7. (Currently Amended) Radiotelephone according to claim 6, additionally comprising a rear face, on the side opposite the front face, this rear face comprising additional keys belonging to the keypad, which additional keys are designed to allow [a] the user to dial a telephone number of his choice.

Appl. No. 10/602,984 Amdt. dated May 30, 2006 Reply to O.A. of January 31, 2006

8. (Original) Radiotelephone according to claim 1, taking the form of a medallion.

9. (Original) Radiotelephone according to claim 1, in which the central processing unit is adapted to:

recognize at least certain incoming calls, referred to as telemonitoring calls, from at least one predetermined telephone address, and

when the central processing unit identifies a telemonitoring call, to automatically establish a communication with this predetermined telephone address without notifying the user.

10. (Original) Radiotelephone according to claim 9, in which the central processing unit is adapted to activate the microphone and keep the speaker deactivated when the said central processing unit automatically activates a communication after a telemonitoring call.

11. (Currently Amended) Radiotelephone according to claim 1, in which the central processing unit is adapted to transmit a predetermined identification signal when a communication is being established with the said at least one predetermined telephone address when the user presses the multifunction at least one key when there is no incoming call.

- 12. (Original) Radiotelephone according to claim 1, comprising an independent electrical power source and in which the central processing unit is adapted to measure a charge level of the said power source and to send a warning message to a predetermined address when the charge level falls to below a predefined level.
- 13. (Original) Radiocommunication system comprising a portable radiotelephone according to claim 1 and a base station connected to a public network and communicating by wireless link with the said portable radiotelephone.

Appl. No. 10/602,984 Amdt. dated May 30, 2006 Reply to O.A. of January 31, 2006

- 14. (Original) Radiocommunication system according to claim 13, in which the portable radiotelephone includes an independent electrical power source and the central processing unit of the radiotelephone is adapted to measure a charge level of the said power source and to communicate the charge level to the base station, the base station being designed to memorize the said charge level and to transmit it to a predetermined telephone address.
- 15. (Original) Radiocommunication system according to claim 13, in which the base station is designed to memorize periods during which it stops being in communication with the portable radiotelephone, and to communicate these periods to a predetermined telephone address.